- 4 M is ruthenium or osmium;
- 5 X and X^1 are each independently an anionic ligand;
- 6 L is a neutral electron donor ligand; and,
- R, R¹ R⁶, R⁷, R⁸, and R⁹ are each independently hydrogen or a substituent selected from
- 8 the group consisting of C₁-C₂₀ alkyl, C₂-C₂₀ alkenyl, C₂-C₂₀ alkynyl, aryl, C₁-C₂₀
- 9 carboxylate, C₁-C₂₀ alkoxy, C₂-C₂₀ alkenyloxy, C₂-C₂₀ alkynyloxy, aryloxy, C₂-C₂₀
- alkoxycarbonyl, C₁-C₂₀ alkylthiol, aryl thiol, C₁-C₂₀ alkylsulfonyl and C₁-C₂₀
- alkylsulfinyl, the substituent optionally substituted with one or more moieties selected
- from the group consisting of C₁-C₁₀ alkyl, C₁-C₁₀ alkoxy, aryl, and a functional group
- selected from the group consisting of hydroxyl, thiol, thioether, ketone, aldehyde, ester,
- ether, amine, imine, amide, nitro, carboxylic acid, disulfide, carbonate, isocyanate,
- carbodiimide, carboalkoxy, carbamate, and halogen.
 - 1 3. (Original) The method of Claim 2 wherein:
 - 2 M is ruthenium;
- 3 L is selected from the group consisting of phosphine, sulfonated phosphine, phosphite,
- 4 phosphinite, phosphonite, arsine, stibine, ether, amine, amide, imine, sulfoxide, carboxyl,
- 5 nitrosyl, pyridine, and thioether; and,
- 6 X and X¹ are each independently hydrogen, halide, or a substituent selected from the
- group consisting of C_1 - C_{20} alkyl, aryl, C_1 - C_{20} alkoxide, aryloxide, C_3 - C_{20} alkyldiketonate,
- 8 aryldiketonate, C₁-C₂₀ carboxylate, arylsulfonate, C₁-C₂₀ alkylsulfonate, C₁-C₂₀
- 9 alkylthiol, aryl thiol, C₁-C₂₀ alkylsulfonyl, and C₁-C₂₀ alkylsulfinyl, the substituent
- optionally substituted with one or more moieties selected from the group consisting of
- C_1 - C_{10} alkyl, C_1 - C_{10} alkoxy, aryl and halide.
- 1 4. (Original) The method of Claim 3 wherein:
- 2 M is ruthenium;
- X and X^1 are each independently selected from the group consisting of halide, CF_3CO_2 ,
- 4 CH₃CO₂, CFH₂CO₂, (CH₃)₃CO, (CF₃)₂(CH₃)CO, (CF₃)(CH₃)₂CO, PhO, MeO, EtO,
- 5 tosylate, mesylate, and trifluoromethanesulfonate;

60325531v2 2

- L is a phosphine of the formula PR³R⁴R⁵, where R³, R⁴, and R⁵ are each independently
- 7 aryl, C₁-C₁₀ alkyl, or cycloalkyl;
- 8 R is hydrogen; and,
- 9 R¹ is phenyl or vinyl, optionally substituted with one or more moieties selected from the
- group consisting of C₁-C₅ alkyl, C₁-C₅ alkoxy, phenyl, and a functional group selected
- from the group consisting of hydroxyl, thiol, thioether, ketone, aldehyde, ester, ether,
- amine, imine, amide, nitro, carboxylic acid, disulfide, carbonate, isocyanate,
- carbodiimide, carboalkoxy, carbamate, and halogen.
- 1 5. (Original) The method of Claim 4 wherein
- 2 X and X¹ are each chloride;
- 3 L is selected from the group consisting of -P(cyclohexyl)₃, -P(cyclopentyl)₃, -
- 4 P(isopropyl)₃, and -P(phenyl)₃; and,
- 5 R^1 is phenyl or $-C=C(CH_3)_2$.
- 1 6. (Original) The method of Claim 5 wherein R⁶ and R⁷ together form a cycloalkyl or an
- 2 aryl.
- 1 7. (Original) The method of Claim 5 wherein R⁶ and R⁷ are the same and are hydrogen or
- phenyl.
- 1 8. (Original) The method of Claim 5 wherein R⁸ and R⁹ are each independently a substituted
- 2 or unsubstituted aryl.
- 1 9. (Original) The method of Claim 5 wherein R⁸ and R⁹ are each independently of the
- 2 formula

$$R^{12}$$
 R^{10}

3

4 wherein

60325531v2

- R¹⁰, R¹¹, and R¹² are each independently hydrogen, C₁-C₁₀ alkyl, C₁-C₁₀ alkoxy, aryl, or a functional group selected from hydroxyl, thiol, thioether, ketone, aldehyde, ester, ether, amine, imine, amide, nitro, carboxylic acid, disulfide, carbonate, isocyanate, carbodiimide, carboalkoxy, carbamate, and halogen.
- 1 10. (Original) The method of Claim 9 wherein R¹⁰, R¹¹, and R¹² are each independently hydrogen, methyl or isopropyl.
- 1 11. (Original) The method of Claim 1 wherein the terminal olefin is of the formula:


- wherein R¹⁴ is selected from the group consisting of C₁-C₂₀ alkyl, C₂-C₂₀ alkenyl, C₂-C₂₀
 alkynyl, aryl, C₁-C₂₀ carboxylate, C₁-C₂₀ alkoxy, C₂-C₂₀ alkenyloxy, C₂-C₂₀ alkynyloxy,
 aryloxy, C₂-C₂₀ alkoxycarbonyl, C₁-C₂₀ alkylthio, C₁-C₂₀ alkylsulfonyl and C₁-C₂₀
 alkylsulfinyl; and wherein R¹⁴ is substituted or unsubstituted.
- 1 12. (Original) The method of Claim 11 wherein R¹⁴ is substituted with one or more moieties selected from the group consisting of C₁-C₁₀ alkyl, C₁-C₁₀ alkoxy and aryl, wherein the moiety is substituted or unsubstituted.
- 1 13. (Original) The method of Claim 12 wherein the moiety substitution is selected from the group consisting of halogen, a C₁-C₅ alkyl, C₁-C₅ alkoxy, and phenyl.
- 1 14. (Original) The method of Claim 11 wherein R¹⁴ contains one or more functional groups, 2 wherein the functional group is selected from the group consisting of hydroxyl, thiol, 3 thioether, ketone, aldehyde, ester, ether, amine, imine, amide, nitro, carboxylic acid, 4 disulfide, carbonate, isocyanate, carbodiimide, carboalkoxy, carbamate, and halogen.
- 1 15. (Currently amended) The method of Claim 11 1 wherein the terminal olefin is of the formula:

4

60325531v2

wherein R¹⁴ is a functional group selected from the group consisting of hydroxyl, thiol, thioether, ketone, aldehyde, ester, ether, amine, imine, amide, nitro, carboxylic acid, disulfide, carbonate, isocyanate, carbodiimide, carboalkoxy, carbamate, and halogen, wherein the functional group is substituted or unsubstituted.

16. (Original) The method of Claim 1 wherein the geminal disubstituted olefin is of the formula



wherein R^{13} is selected from the group consisting of C_1 - C_{20} alkyl, C_2 - C_{20} alkenyl, C_2 - C_{20} alkynyl, aryl, C_1 - C_{20} carboxylate, C_1 - C_{20} alkoxy, C_2 - C_{20} alkenyloxy, C_2 - C_{20} alkynyloxy, aryloxy, C_2 - C_{20} alkoxycarbonyl, C_1 - C_{20} alkylthio, C_1 - C_{20} alkylsulfonyl and C_1 - C_{20} alkylsulfinyl; and wherein R^{13} is substituted or unsubstituted.

17. (Original) The method of Claim 11 wherein R¹³ is substituted with one or more moieties selected from the group consisting of C₁-C₁₀ alkyl, C₁-C₁₀ alkoxy and aryl, wherein the moiety is substituted or unsubstituted.

18.

(Original) The method of Claim 12 wherein the moiety substitution is selected from the group consisting of halogen, a C₁-C₅ alkyl, C₁-C₅ alkoxy, and phenyl.

1 19.

(Currently amended) The method of Claim 11 16 wherein R¹³ contains one or more functional groups, wherein the functional group is selected from the group consisting of

- 3 hydroxyl, thiol, thioether, ketone, aldehyde, ester, ether, amine, imine, amide, nitro,
- 4 carboxylic acid, disulfide, carbonate, isocyanate, carbodiimide, carboalkoxy, carbamate,
- 5 and halogen.
- 1 20. (Currently amended) The method of Claim 11 1 wherein the geminal disubstituted olefin
 2 is of the formula

- 3
- wherein R¹³ is a functional group selected from the group consisting of hydroxyl, thiol,
- 5 thioether, ketone, aldehyde, ester, ether, amine, imine, amide, nitro, carboxylic acid,
- disulfide, carbonate, isocyanate, carbodiimide, carboalkoxy, carbamate, and halogen,
- 7 wherein the functional group is substituted or unsubstituted.
- Original) The method of Claim 1 wherein the disubstituted olefin is a substituted or
 unsubstituted α- functionalized olefin.
- 22. (Original) The method of Claim 21 wherein the α- functionalized olefin is a substituted or
 unsubstituted acrylamide.
- 1 23. (Original) The method of Claim 21 wherein the α functionalized olefin is selected from
- the group consisting of a substituted or unsubstituted acrylate, vinyl ketone, and vinyl
- 3 aldehyde.
- 1 24. (Cancelled)
- 1 25. (Original) The method of Claim 1 wherein the trisubstituted olefin is prepared at room temperature.

- 1 26. (Currently amended) A method for preparing di- or tri-substituted olefins comprising
 2 contacting a first substituted or unsubstituted electron deficient olefin with a second
 3 substituted or unsubstituted electron deficient olefin in the presence of a metal carbene
 4 metathesis catalyst, wherein the first and second olefins are the same or different, to
 5 generate a di- or tri-substituted olefin in an intramolecular olefin cross-metathesis
 6 reaction.
- (Original) The method of Claim 26 wherein the first olefin is a substituted or
 unsubstituted styrene and wherein the second olefin contains an α- carbonyl group.
- 1 28. (Original) The method of Claim 27 wherein the second olefin is acrylate or acrylamide, 2 and wherein the second olefin is substituted or unsubstituted.
- 29. (Original) The method of Claim 26 wherein the first and second olefins each contain an
 α- carbonyl group.
- 1 30. (Original) The method of Claim 26 wherein the first olefin is a substituted styrene and wherein the substitution occurs on one or more aromatic carbons.
- 1 31. (Original) The method of Claim 26 wherein the first olefin is a substituted styrene and wherein the substitution occurs on the olefinic carbons.
- 1 32. (Original) The method of Claim 26 wherein the first olefin is an ortho-substituted styrene.
- 33. (Original) The method of Claim 26 wherein the first olefin is a terminal olefin and
 wherein the second olefin is an α-functionalized olefin.
- 1 34. (Currently amended) A method for preparing di- or tri-substituted olefins comprising 2 contacting a substituted or unsubstituted aliphatic olefin with a substituted or 3 unsubstituted electron-deficient olefin in the presence of a metal carbene metathesis

60325531v2 7

- catalyst to generate a di- or tri-substituted olefin in an intermolecular olefin crossmetathesis reaction.
- 35. (Original) The method of Claim 34 wherein the metathesis catalyst is of the formula

R⁸N NR⁹

or

R⁸N NR⁹

wherein:

6 M is ruthenium;

X and X¹ are each independently selected from the group consisting of halide, CF₃CO₂, CH₃CO₂, CFH₂CO₂, (CH₃)₃CO, (CF₃)₂(CH₃)CO, (CF₃)(CH₃)₂CO, PhO, MeO, EtO, tosylate, mesylate, and trifluoromethanesulfonate;

L is a phosphine of the formula $PR^3R^4R^5$, where R^3 , R^4 , and R^5 are each independently aryl, C_1 - C_{10} alkyl, or cycloalkyl;

R is hydrogen; and,

 R^1 R^6 , R^7 , R^8 , and R^9 are each independently hydrogen or a substituent selected from the group consisting of C_1 - C_{20} alkyl, C_2 - C_{20} alkenyl, C_2 - C_{20} alkynyl, aryl, C_1 - C_{20} carboxylate, C_1 - C_{20} alkoxy, C_2 - C_{20} alkenyloxy, C_2 - C_{20} alkynyloxy, aryloxy, C_2 - C_{20} alkoxycarbonyl, C_1 - C_{20} alkylthiol, aryl thiol, C_1 - C_{20} alkylsulfonyl and C_1 - C_{20} alkylsulfinyl, the substituent optionally substituted with one or more moieties selected from the group consisting of C_1 - C_{10} alkyl, C_1 - C_{10} alkoxy, aryl, and a functional group selected from the group consisting of hydroxyl, thiol, thioether, ketone, aldehyde, ester, ether, amine, imine, amide, nitro, carboxylic acid, disulfide, carbonate, isocyanate, carbodiimide, carboalkoxy, carbamate, and halogen.

- 1 36. (Original) The method of Claim 34 wherein the aliphatic olefin is a mono-, di- or trisubstituted olefin.
- 1 37. (Original) The method of Claim 34 wherein the aliphatic olefin is substituted one or more groups selected from the group consisting of C₁-C₂₀ alkyl, C₂-C₂₀ alkenyl, C₂-C₂₀ alkenyl, aryl, C₁-C₂₀ carboxylate, C₁-C₂₀ alkoxy, C₂-C₂₀ alkenyloxy, C₂-C₂₀ alkynyloxy, aryloxy, C₂-C₂₀ alkoxycarbonyl, C₁-C₂₀ alkylthio, C₁-C₂₀ alkylsulfonyl and C₁-C₂₀ alkylsulfinyl, wherein the substituent group is substituted or unsubstituted.
- Original) The method of Claim 37 wherein the substituent group is substituted with one or more moieties selected from the group consisting of C₁-C₁₀ alkyl, C₁-C₁₀ alkoxy, and aryl, wherein the moiety is substituted or unsubstituted.
- 1 39. (Original) The method of Claim 38 wherein the moiety is substituted with one or more groups selected from a halogen, a C₁-C₅ alkyl, C₁-C₅ alkoxy, and phenyl.
- 1 40. (Original) The method of Claim 34 wherein the aliphatic olefin includes one or more functional groups selected from the group consisting of hydroxyl, thiol, thioether, ketone, aldehyde, ester, ether, amine, imine, amide, nitro, carboxylic acid, disulfide, carbonate, isocyanate, carbodiimide, carboalkoxy, carbamate, and halogen.
- 1 41. (Original) The method of Claim 34 wherein the aliphatic olefin is 1-hexene and the electron-deficient olefin is methyl acrylate.

42. (Original) A method for preparing trisubstituted olefins comprising contacting a first substituted or unsubstituted styrene with a second substituted or unsubstituted α-functionalized olefin in the presence of a metathesis catalyst to form a cross-product and stilbene, and contacting the stilbene with unsubstituted α-functionalized olefin in the presence of a metathesis catalyst, wherein the catalyst is of the formula:

 R^6 R^7 R^8N NR^9 R^8N NR^9 R^8N NR^9 R^8N R^8N R^9 R^8N R^9 R^9 R^9 R^9 R^9 R^9 R^9 R^9 R^9

wherein:

M is ruthenium;

X and X¹ are each independently selected from the group consisting of halide, CF₃CO₂, CH₃CO₂, CFH₂CO₂, (CH₃)₃CO, (CF₃)₂(CH₃)CO, (CF₃)(CH₃)₂CO, PhO, MeO, EtO, tosylate, mesylate, and trifluoromethanesulfonate;

L is a phosphine of the formula $PR^3R^4R^5$, where R^3 , R^4 , and R^5 are each independently aryl, C_1 - C_{10} alkyl, or cycloalkyl;

R is hydrogen; and,

 R^1 R^6 , R^7 , R^8 , and R^9 are each independently hydrogen or a substituent selected from the group consisting of C_1 - C_{20} alkyl, C_2 - C_{20} alkenyl, C_2 - C_{20} alkynyl, aryl, C_1 - C_{20} carboxylate, C_1 - C_{20} alkoxy, C_2 - C_{20} alkenyloxy, C_2 - C_{20} alkynyloxy, aryloxy, C_2 - C_{20} alkoxycarbonyl, C_1 - C_{20} alkylthiol, aryl thiol, C_1 - C_{20} alkylsulfonyl and C_1 - C_{20} alkylsulfinyl, the substituent optionally substituted with one or more moieties selected from the group consisting of C_1 - C_{10} alkyl, C_1 - C_{10} alkoxy, aryl, and a functional group selected from the group consisting of hydroxyl, thiol, thioether, ketone, aldehyde, ester, ether, amine, imine, amide, nitro, carboxylic acid, disulfide, carbonate, isocyanate, carbodiimide, carboalkoxy, carbamate, and halogen.

Claims 43-45 (Cancelled)

60325531v2 10